

ENVIRONMENTAL MANAGEMENT PLAN (EMP) FOR:

THE PROPOSED FOR SMALL SCALE MINING ACTIVITIES OF MINING CLAIMS (MCS) NO. MINING CLAIMS NO. 76048 – 76057 LOCATED NEAR KARIBIB IN THE ERONGO REGION.

VERSION: FINAL DRAFT

APPLICATION NO.:006255

Author(s): Ms. Aili lipinge

Company: Excel Dynamic Solutions (Pty) Ltd

Telephone: +264 (0) 61 259 530

Fax2email: +264 (0) 886 560 836

Email: info@edsnamibia.com

Client: Jonas Tulamomwenyo Abiatar

Table Contents

LIST OF FIGURES AND TABLES	i
1. NTRODUCTION	1
1.1 Project Background	1
1.2 Aim of the Draft Environmental Management (EMP)	3
1.3 Appointed Environmental Assessment Practitioner	4
2. LEGAL OBLIGATIONS GOVERNING THE PROPOSED ACTIVITIES	6
2.1 EMP Limitations	9
3. EMP IMPLEMENTATION, ROLES AND RESPONSIBILITIES	10
4. ENVIRONMENTAL MANAGEMENT & MITIGATION MEASURES	12
4.1 Management of Key Potential Adverse Environmental Impacts	12
4.2 Aim of the Environmental Management Plan Actions	12
4.3 Planning, Prospecting, and Mining Phase Management Action Plans (Miti	gation Plan) 13
4.4 Monitoring Action Plans (Monitoring Plan)	35
5. Decommissioning and Rehabilitation	41
LIST OF FIGURES AND TABLES	
Figure 1: Location of MCs 76048 - 76057	2
Table 1: Applicable legal requirements and permits to the activities of the MCs Table 2: The persons and institutions responsible for the Implementation of the Table 3: Management and mitigation action plans for the planning and mining plant as the Action Plant.	Draft EMP 10 hases 13

1. NTRODUCTION

1.1 Project Background

Excel Dynamic Solutions (Pty) Ltd (the consultant) has been appointed by Jonas Tulamomwenyo Abiatar (the proponent) to act on their behalf in obtaining an Environmental Clearance Certificate (ECC) for the proposed small-scale mining activities on Mining Claims No. 76048 - 76057 The target commodity for the proposed mining activities is Industrial Minerals , Dimension stone and Semi-precious stone The MCs are located Southwest of Karibib in the Erongo region and fall within farm Kaliombo;Farm No 119 . The proposed site is accessible via the B2 road , that diverging from D3703 road.




Figure 1: Location of MCs 76048 - 76057



In terms of Section 27 (1) of the Environmental Management Act (EMA) (Act No. 7 of 2007) and in line with Sections 32-37 of the EMA, the proposed small-scale mining activities on MCs 76048 - 76057 form part of the listed activities that may not be conducted without an EIA undertaken and an ECC granted. The relevant listed activities as per EIA regulations are:

- 3.1 The construction of facilities for any process or activities which requires a license, right of other forms of authorization, and the renewal of a license, right or other form of authorization, in terms of the Minerals (Prospecting and Mining Act, 1992).
- 3.2 other forms of mining or extraction of any natural resources whether regulated by law or not.
- 3.3 Resource extraction, manipulation, conservation and related activities.

This document has been prepared as a legal requirement of Section 8 of the EMA (Act No. 7 of 2007). The compilation of this EMP is one of the outputs required of the Environmental Consultant by The Proponent. It is required of the Environmental Consultant to comply with the EMA and provide for the following:

- Prepare a detailed Environmental Management Plan to be used as a guideline to monitor compliance to the recommendations stipulated in the EIA, and to assist in managing and monitoring activities throughout the proposed small scale mining activity on the MCs.
- The Environmental Consultant must clarify in the EMP, the roles and responsibilities of the Proponent, the contractors, and any other identified stakeholders.

1.2 Aim of the Draft Environmental Management (EMP)

Regulation 8(j) of the EIA Regulations (2012) requires that a draft Environmental Management Plan (EMP) shall be included as part of the Environmental Assessment (EA). A 'Management Plan' is defined as:

"...a plan that describes how activities that may have significant environments effects on the environment are to be mitigated, controlled and monitored."

An EMP is one of the most important outputs of the EA process. It synthesizes all the proposed management & mitigation and monitoring actions, set to a timeline and with specific assigned

responsibilities. Additionally, it provides a link between the impacts identified in the EA process and the required mitigation measures. It is important to note that an EMP is a statutory document and a person who contravenes the provisions of this EMP may face imprisonment and/or a fine. This EMP is a living document and can be amended to adapt to addressing project changes and/or environmental conditions and feedback from compliance monitoring.

The purpose of this document is, therefore, to guide environmental management throughout the different phases of the small-scale mining activities, namely: planning, prospecting & mining, and decommissioning & rehabilitation.

- Planning phase This is the stage of the proposed project during which the Proponent
 prepares all administrative and technical requirements needed for the actual works on the
 site. The planning phase includes obtaining of the necessary permits and authorizations
 from relevant national and local stakeholders, and facilitating the recruitment and
 procurement processes, in preparation for the small-scall mining activities.
- Prospecting and Mining phase This is the phase where the Proponent carries out
 prospecting and mining activities for the target commodities, and undertakes related
 activities on site. It is also the phase during which maintenance of the area, equipment
 and machinery is done by The Proponent.
- Decommissioning and Rehabilitation This is the phase during which the small scale
 mining activities on the MCs cease. The decommissioning of mining operations may be
 considered due to poor mining results or a decline in the commodity market price. Before
 the decommissioning phase, The Proponent will need to put site rehabilitation measures
 in place.

Environmental Monitoring Requirements: To support and ensure that the proposed mitigation measures are achieving the desired results, a monitoring plan must be implemented alongside the mitigation plan.

This EMP is for use by The Proponent, employees and/or contractors, to provide management measures to be undertaken during mining, to address the environmental impacts identified in the scoping report and ensure that the impacts on the environment are avoided, or limited if they cannot be avoided completely.

1.3 Appointed Environmental Assessment Practitioner

To fulfill the requirements of the EMA and its 2012 EIA Regulations, The Proponent appointed Excel Dynamic Solutions (Pty) Ltd (EDS), an independent environmental consultant to conduct

the required EA process on their (Proponent's) behalf. This draft EMP will be submitted as part of an application for the proposed small-scale mining method on the MCs to the Environmental Commissioner at the Department of Environmental Affairs and Forestry (DEAF), Ministry of Environment, Forestry and Tourism (MEFT).

2. LEGAL OBLIGATIONS GOVERNING THE PROPOSED ACTIVITIES

The content of the EMP must meet the requirements of Section 8 (j) of the EIA Regulations, and the EMP must address the potential environmental impacts of the prospecting and small-scale mining activities on the environment throughout the project life cycle. It must also include a system for assessment of the effectiveness of monitoring and management arrangements after project implementation.

The Proponent, therefore, has the responsibility to ensure that the small-scale mining activities as well as the EA process conform to the principles of the EMA, and must ensure that employees act in accordance with such principles. Table 1 below lists the requirements of an EMP as stipulated by Section 8(e) of the EIA Regulations, primarily on specific approvals and permits that may be required for the activities required of the MCs

Table 1: Applicable legal requirements and permits to the activities of the MCs

Legislation/Policy/ Guideline	Relevant Provisions	Implications for this project			
Environmental Management Act	Requires that projects with	The EMA and its regulations should inform			
EMA (No 7 of 2007)	significant environmental	and guide this EA process.			
	impacts are subject to an environmental assessment process (Section 27). Details principles which are to guide all EIAs.	Should the ECC be issued to the Proponent, it should be renewed every 3 years, counting from the date of issue. Contact details at the Department of Environmental Affairs and Forestry (DEAF),			
Environmental Impact	Details requirements for public	Ministry of Environment, Forestry and			
Assessment (EIA) Regulations	consultation within a given	Tourism (MEFT), Office of the			
GN 28-30 (GG 4878)	environmental assessment	Environmental Commissioner			
	process (GN 30 S21).	Tel: +264 61 284 2701			
	Details the requirements for				
	what should be included in a				
	Scoping Report (GN 30 S8) and				
	an Assessment Report (GN 30				
	S15).				

Legislation/Policy/ Guideline	Relevant Provisions	Implications for this project
Minerals (Prospecting and Mining) Act (No. 33 of 1992)	Section 48 (3): To enable the Minister to consider any application referred to in section 47 the Minister may (b) require the person concerned by notice in writing to (i) carry out or cause to be carried out such environmental impact studies as may be specified in the notice. Section 54(2): details provisions pertaining to the decommissioning or abandonment of a mine.	The Proponent should ensure that all necessary permits/authorization for these MCs are obtained from the Ministry of Industries, Mines and Energy (MME). Contact details at the MIME (Mining Commissioner) Tel: +264 61 284 8167
	Under this Act (Section 51 (1a)), holder of a mineral license cannot exercise any rights on a private land until the holder has entered into an agreement with the owner regarding payment of compensation.	The Proponent should timely enter into and sign access and land use agreement (consent) with the respective affected farm owners.
Water Act 54 of 1956: Ministry of Agriculture,Fisheries Water and Land Reform (MAFWLR)	Prohibits the pollution of water and implements the principle that a person disposing of effluent or waste has a duly of care to prevent pollution (S3 (k)). Provides for control and protection of groundwater (S66 (1), (d (ii)). Liability of clean-up costs after closure/abandonment of an activity (S3 (I)). (I)).	

Legislation/Policy/ Guideline	Relevant Provisions	Implications for this project
Water Resources Management Act (No 11 of 2013): Ministry of Agriculture, Fisheries ,Water and Land Reform (MAFWLR)	Ensure that the water resources of Namibia are managed, developed, used, conserved and protected in a manner consistent with, or conducive to, the fundamental principles set out in Section 66 - protection of aquifers, Subsection 1 (d) (iii) provide for preventing the contamination of the aquifer and water pollution control (S68).	These permits include Borehole Drilling Permits, Groundwater Abstraction & Use Permits, and when required, the Wastewater / Effluent Discharge Permits). Division: Water Policy and Water Law Administration Division Tel: +264 61 208 7158 Water and Environment Division Tel: +264 61 208 7167
Petroleum Products and Energy Act (No. 13 of 1990) Regulations (2001)	Regulation 3(2)(b) states that "No person shall possess or store any fuel except under authority of a license or a certificate, excluding a person who possesses or stores such fuel in a quantity of 600 litres or less in any container kept at a place outside a local authority area"	The Proponent should obtain the necessary authorisation form the MME for the storage of fuel on-site. Ministry of Industries , Mines and Energy: Director – Petroleum Affairs Tel: +264 61 284 8291
Forestry Act 12 of 2001, Amended Act 13 of 2005	Prohibits the removal of any vegetation within 100 m from a watercourse (Forestry Act S22 (1)). The Act prohibits the removal of and transport of various protected plant species.	Should there be protected plant species, which are known to occur within the project site, these are required to be removed and a permit should be obtained from the nearest Forestry office (Ministry of Environment, Forestry and Tourism (MEFT)) prior to removing them. Director of Forestry Division Tel: +264 61 208 7320

Legislation/Policy/ Guideline	Relevant Provisions	Implications for this project
National Heritage Act No. 76 of	Calls for the protection and	Should any archaeological material, such as
1969	conservation of heritage	bones, old weapons/equipment etc. be
	resources and artefacts.	found on the MCs site, work should stop
		immediately, and the National Heritage
		Council of Namibia must be informed as
		soon as possible. The Heritage Council will
		then decide to clear the area or decide to
		conserve the site or material.
		Contact Details at National Heritage
		Council of Namibia
		National Heritage Council of Namibia
		Tel: (061) 301 903

2.1 EMP Limitations

This EMP has been drafted with the acknowledgment of the following limitations:

- This EMP has been drafted based on the Environmental Assessment (EA) conducted for targeted small-scale mining activities on mining claim No. 76048 – 76057.
- The mitigation measures recommended in this EMP document are based on the risks/impacts identified in the ESA, based on the project description as provided by the Proponent, site investigation and public input. Should the scope of the proposed project change, the risks/impacts will have to be reassessed and mitigation measures provided accordingly.

3. EMP IMPLEMENTATION, ROLES AND RESPONSIBILITIES

The Proponent is ultimately responsible for the implementation of the EMP. However, the Proponent may delegate this responsibility at any time, as they deem necessary during the project phases. The roles and responsibilities of all delegates/parties involved in the effective implementation of this EMP are set out in Table 2 below:

Table 2: The persons and institutions responsible for the Implementation of the Draft EMP

Role (Person and or Institution)	Responsibilities
(The Proponent)	-Managing the implementation of this EMP and updating and maintaining it when necessary.
	-Management and monitoring of individuals and/ or equipment on-site in
	terms of compliance with this EMP and issuing fines for contravening EMP provisions.
Mining Manager	This individual will be responsible to ensure that the mining activities of the
	project are completed on time. The Manager's duties and responsibilities will include:
	-Ensure that relevant commitments contained in the EMP Action Plans are adhered to.
	-Ensure relevant staff is trained in procedures entailed in their duties.
	-Maintain records of all relevant environmental documentation for the project.
	-Reviewing the EMP annually and amending the document when necessary.
	-Issuing fines to individuals who may be in breach of the EMP provision and if necessary, removing such individuals from the site.
	-Cooperate with all relevant interested and affected parties/stakeholders.
	-Development and management of schedules for daily activities
Environmental Control Officer (ECO)	The Proponent may assign the responsibility of ensuring EMP compliance
or Safety, Health & Environmental	throughout the project life cycle to a designated member of staff or external
(SHE) Officer	qualified and experienced person, referred to in this EMP as the Environmental Control Officer (ECO). The ECO will have the following responsibilities:
	-Management and facilitation of communication between the Proponent, PR and Interested and Affected Parties (I&APs) regarding this EMP.

Role (Person and or Institution)	Responsibilities
	-Conducting site inspections of all areas with respect to the implementation of this EMP (monitor and audit the implementation of the EMP).
	-Advising the Proponent or Site Manager on the removal of person(s) and/or equipment not complying with the provisions of this EMP.
	-Making recommendations to the PR with respect to the issuing of fines for contraventions of the EMP.
	-Undertaking an annual review of the EMP and recommending additions and/or changes to this document.
Public Relations Officer (PRO)	The PRO will be responsible for the following tasks:
	-Liaising between the affected landowners, communities and the Proponent.
	-Ensure effective communication with stakeholders, local communities, traditional authorities, media (if necessary) and the public.
	-Organising and overseeing public relations activities, Managing public relations issues.
	-Preparing and submitting public relations reports, if required.
	-Collaborating with personnel and maintaining project-related open communication among personnel.
Other responsibilities include	A. Operator: exercise due caution if archaeological remains are found
Archaeology: Chance Finds	B. Site Manager and ECO: secure site and advise management
Procedure (CFP) Implementation	timeously
Roles	C. Archaeologist: inspect, identify, advise management, and recover remains.

4. ENVIRONMENTAL MANAGEMENT & MITIGATION MEASURES

4.1 Management of Key Potential Adverse Environmental Impacts

From the assessment conducted, the following key potential negative impacts have been identified as:

- Potential disturbance of grazing land,
- Physical land / soil disturbance
- Impact on local biodiversity (fauna and flora) and habitat disturbance and potential illegal wildlife hunting (poaching) in the area.
- Potential impact on water resources and soils particularly due to pollution,
- Air quality issue: potential dust generated from the project.
- Potential occupational health and safety risks
- Vehicular traffic safety and impact on services infrastructure such as local roads
- Vibrations and noise associated with drilling activities may be a nuisance to locals
- Environmental pollution (solid waste and wastewater)
- Archaeological and heritage resources impact
- Potential social nuisance and conflicts.

4.2 Aim of the Environmental Management Plan Actions

The aim of the management actions of the EMP is to avoid the above-listed potential negative impacts, where possible. Where impacts cannot be avoided, measures are provided to reduce the significance of these impacts.

Management actions recommended for the potential impacts rated in the ESA carried out for the small-scale mining activities were based on the following project stages (phases):

- Planning, Prospecting, and Mining (and site maintenance) phases (Table 3)
- Monitoring (Table 4)
- Decommissioning and Rehabilitation

The responsible person(s) should assess these actions in detail and acknowledge their commitment to the specific management actions detailed in the phases given under the following subsections.

4.3 Planning, Prospecting, and Mining Phase Management Action Plans (Mitigation Plan)

The management action plans recommended for this phase are presented in **Table 3** below.

Table 3: Management and mitigation action plans for the planning and Mining phases

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implementation Responsibility	Resources	Timeline		
	PLANNING PHASE							
EMP implementation and training	Lack of EMP awareness and implications thereof	-A Comprehensive Health and Safety Plan for the project activities should be compiled. This will include all the necessary health, safety, and environmental considerations applicable to respective works on sites.	-All required Plans and systems are compiled and in place. and Environmental Control Officer (ECO) is appointed	Proponent	EMP Implementation Plans and Systems	Pre-Mining works		
		An EMP non-compliance penalty system should be implemented on-site. The Proponent should appoint an ECO to be responsible for managing the EMP implementation and monitoring.						
Authorizations	Lack of Agreements, Permits/ Licenses	-All the required agreements and licenses or permits should be applied for and signed, respectively, before the commencement of work on the MCs or as required. -The permits, and agreements referred to herein include land access and land use agreements, compensation agreements (if necessary), rehabilitation	-Applicable permits and licenses are to be obtained from relevant authorities and kept on site for record keeping and future inspections. -Agreements/permits signed and obtained on time, min. 2 months	Proponent	Proponent Respective authorities and services provider(s)	Prior to Mining works		

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implementation Responsibility	Resources	Timeline
		commitment agreements, and petroleum storage permits (if necessary).	prior to the planned commencement date of works.			
Communication between the Proponent and other neighbouring land users and custodians	Lack of communication (proper liaison) between other land users and Proponent with regard to land use	-The Proponent may appoint a Public Relation Officer (PRO)/representative to liaise with the land users. -A clear communication procedure/plan which should include a grievance mechanism.	A PRO is appointed -Ongoing Farmers' Engagement & Consultation throughout the project cycles, when and as required. PRO contact details to be provided to the affected landowners	Proponent	PRO Complaint's logbook	PRO appointment (Prior to project activities) and their responsibilities throughout the project activities
Employment	Creation of employment opportunities	-Preference for employment of general and semi-skilled workers should be prioritised towards local residents Employment of non-residents, especially should be justified, -Equal opportunity should be provided for both men and women, when and where possible.	-Number of locals employed for mining activities	Proponent in collaboration with the site Manager (if necessary)	Record of employees	Pre-project activities and when necessary, throughout

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implementation Responsibility	Resources	Timeline
Specialized procurement of services	Contractors and services	-The Proponent should use locally derived services where practically possible	Number of hired contractors.	Proponent	Record of hired or contracted companies or service providers	Pre-project activities and when necessary, throughout
				Site Manager		
		PROSPEC	TING AND MINING PHAS	SE .		
EMP implementation and training	Lack of EMP awareness and implications thereof	-EMP training should be provided to all new workers on site. -All site personnel should be aware of necessary health, safety, and environmental considerations applicable to their respective work. -The implementation of this EMP should be monitored. The site should be inspected, and a compliance audit done throughout the project cycle. An EMP non-compliance penalty system should be implemented on-site.	Compliance monitoring is conducted biannually and should be recorded.	ECO	Bi-annual reports Records of EMP training conducted.	Throughout the mining phase and as required
Communication between the Proponent and other neighbouring	Lack of communication (proper liaison) between farmers and Proponent with	-The PRO/project representative contact details must be shared with all affected parties prior to undertaking activities, for easy	-PRO is part of the project personnel. -Ongoing Farmers'/ affected parties'	PRO	Complaint's logbook PRO contact details are to be provided to the affected land users.	Throughout the mining activities

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implementation Responsibility	Resources	Timeline
land users and custodians	regard to land use	communication during mining activities. -The Proponent should compile a clear communication procedure/plan which should include a grievance and response mechanism.	Engagement & Consultation throughout the project cycles, when and as required -Community/farmers' grievances addressed to their satisfaction		Records of Farmers' consultation Land access agreement conditions	
Grazing land	Loss of grazing areas	-Any unnecessary removal or destruction of grazing land, due to mining activities should be avoided. -Vegetation found on the site, but not in the targeted mining areas should not be removed but left to preserve biodiversity and grazing land. -Workers should refrain from driving off-road and creating unnecessary tracks that may contribute to soil erosion and loss of grazing land. -Environmental awareness on the importance of the preservation of grazing land for local livestock should be provided to the workers.	-Limited cleared sites -Less access tracks -No complaints from farmers regarding significant land/vegetation clearing	Proponent / Site Manager ECO	Grievance logbook	Throughout the phases

Aspect In	mpact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implementation Responsibility	Resources	Timeline
Resources Use ab (w	Over- Ibstraction water demand Ind Ivailability)	-The Proponent should be wateruse conscious and consider voluntary water use reduction by sticking to their proposed threshold volumes or less when possible. -The Proponent should aim to use water efficiently, recycle, and reuse where necessary and possible. -Water used to cool off operational equipment may be captured and used for the cleaning of project equipment, if possible. -Water conservation awareness and saving measures training should be provided to all the project workers to promote water conservation -An efficient water recycling system that decreases water usage at mining sites -Diverting water filled with impurities away from water bodies to fend off contamination -A practical water treatment process for groundwater, process water, and any other form of water	Water supply agreements Proof/ recording/ quantification of water-saving efforts. Water supplier -Water permits -inspection of water storage tanks on site	Proponent Site Manager	Water supplying agreements Proponent	Once off supply agreement Throughout the mining phase

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implementation Responsibility	Resources	Timeline
		used in small-scale mining activities				
		A water management system that runs during mining and long after the completion of all mining activities				
Soils	Physical soil/land disturbance and loss of	-Overburden should be handled efficiently during operations to avoid erosion when subjected to	No proliferation of informal vehicle tracks.	ECO	Proponent	
	topsoil	erosional processesStockpiled topsoil and drill materials should be used to	No new erosion gullies.		All personnel	Throughout the mining phase
		backfill the excavated and disturbed site areas/spots.		Complaint's logbook	Complaint's logbook	
		-Soils that are not within the intended and targeted footprints of the site should be left undisturbed and soil conservation implemented as far as possible.				
		-Project vehicles and machinery should stick to access roads provided for the project operations, and avoid unnecessary creation of further tracks on site, resulting in soil				
		compaction.				
		-The project footprint area should not be cleared entirely, and the mining vehicles and equipment must have designated sites for				

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implementation Responsibility	Resources	Timeline
Soils and water	Soils and water	parking/storage in order to avoid soil disturbance -Sites of operations must be rehabilitated after completion of works onsite.				
resources	resources pollution	-Oil and wastewater spill control preventive measures should be in place on-site to manage soil contamination, preventing and minimizing the contamination from reaching water bodies. -All project employees should be sensitized to the impacts of soil pollution and advised to follow appropriate fuel delivery and handling procedures. -The Proponent should develop and prepare countermeasures to contain, clean up, and mitigate the effects of oil spills. This includes keeping spill response procedures and a well-stocked cache of easily accessible supplies. -Ensure employees receive basic Spill Prevention, Control, and Countermeasure (SPCC) training and mentor new workers as they get hired. -Project machines and equipment should be equipped with drip trays	No complaints of pollutants on the soils and eventually in the water due to mining activities No visible oil spills on the ground or pollution spots. -Waste containers provided at mining work sites and campsites	ECO	Non-permeable material to cover the ground surface at areas where hydrocarbons and potential pollutants are utilized.	Throughout the mining phase

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implementation Responsibility	Resources	Timeline
		to contain possible oil spills when operated on-site.				
		-Polluted soils must be removed immediately and put in a designated waste-type container for later disposal.				
		-Drip trays must be readily available to ensure that accidental fuel spills along fuel storage facilities or fuel-consuming equipment are caught and cleaned up on time				
		-Heavily polluted soil must be collected and transported away from the site to an approved and appropriately classified hazardous waste treatment facility.				
		-Washing and servicing of equipment contaminated by hydrocarbons should take place at a dedicated area, where contaminants are prevented from contaminating soil or water resources.				
		-Sewage and ablution wastewater should be treated according to the portable toilet manufacturer's instructions.				

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implementation Responsibility	Resources	Timeline
Biodiversity	Loss of Fauna and Flora	Fauna: -Poaching of wildlife on the farms and surrounding areas is strictly prohibited. -Project workers should refrain from killing or snaring livestock that may be found on and around the site. -Access roads (even existing ones) should be utilized appropriately in a manner that disturbs minimal land areas as possible, to minimize faunal habitat destruction. -Any faunal breeding sites discovered on the site should not be disturbed.	No disturbance to unmarked areas. No complaints from locals regarding unauthorized vegetation removal or cutting down of trees. No complaints of wildlife hunting by the project personnel. No intentional disturbance or destruction of site vegetation and faunal species	ECO	Barricading tape (to indicate working areas) Complaint logbook	Throughout the mining phase
		-Environmental awareness of the importance of faunal preservation should be provided to the workers and contractors.	Visible preservation of onsite vegetation			
		Flora:				
		-The Proponent should avoid unnecessary removal of vegetation				
		-Vegetation found on the site, but not in the targeted mining areas				

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implementation Responsibility	Resources	Timeline
		should not be removed but left to preserve biodiversity on the site.				
		-Movement of vehicles and machinery should be restricted to existing roads and tracks to prevent unnecessary damage to vegetation.				
		-Design access roads appropriately in a manner that disturbs as little vegetation as possible.				
		-Vegetation clearing to be kept to a minimum. The vegetation of the site is largely low and open and therefore whole-sale vegetation clearing should only be applied where necessary and within the MCs 's footprint.				
		-Vegetation found on the site, but not in the targeted areas should not be removed but left to preserve biodiversity on the site.				
		-Environmental awareness of the importance of floral biodiversity preservation should be provided to the workers and contractors.				
Illegal hunting	Illegal hunting of wildlife	-No wildlife hunting is permittedSite personnel should refrain from killing/poaching or intentionally	-Incident reports of illegal hunting of wildlife by the Project workers	ECO	Complaint's logbook	During site setup, and throughout the mining phases

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implementation Responsibility	Resources	Timeline
		disturbing wildlife, or any faunal species found on site and around the MCs site. -The No Tolerance to Poaching Policy should be developed and applicable to all site personnel.	-Contact details of the Anti-poaching Police Unit provided and visible onsite		-Anti-poaching Police Unit -ECO	
Land Use	Conflict between land uses and mining activities	-Mining activities should not in any way hinder the existing land uses within the MCs but rather promote co-existence throughout the project operations while respecting other land users. -The project workers and vehicles should be limited to the actual MCs active sites, and not unnecessarily wander or loiter around other parts of the site. -The Proponent should ensure that their activities comply with the conditions set by the competent, regulatory, and affected authorities such that the proposed small-scale mining activities do not severely impact the different existing activities around the MCs.	Land access and use permits/authorizations. Compliance with conditions set within operational permits by relevant and affected authorities. Little to no complaints of significant interference from the neighbouring land users	Proponent ECO	Proponent Relevant authorities (MEFT, MME, etc.)	Throughout the mining phase
Road use and safety	Increase in vehicular traffic flow	-Vehicles should be driven only on existing access roads and the temporary access roads created on-site to facilitate operations; no	No complaints from members of the public regarding vehicular	Proponent	Number of project vehicles on site	Throughout the mining phase

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implementation Responsibility	Resources	Timeline
		new roads should be constructed, where possible.	traffic issues related to the project activities.		Names of drivers	Site access permit (s) to be
		-The transportation of project materials, equipment, and machinery should be kept at a minimum, to reduce pressure on local roads. -Heavy truck loads should comply with the maximum allowed limit while transporting materials and equipment/machinery on the	All personnel operating the project vehicles and machinery are appropriately licensed and in possession of valid driving licenses.		Frequency of water carting	applied for and obtained prior to commencement of mining works
		public and access roads. -Drivers of all project vehicles should be in possession of valid and appropriate driving licenses.	Demarcated areas for parking, offloading, and loading zones are on site.			
		Vehicle drivers should adhere to the road safety rules. -Drivers should drive slowly (30km/hour or less), and be on the lookout for livestock, wildlife, and pedestrians.	If required, site access road permits are obtained, and requirements are fulfilled.			
		-Project vehicles should be in a road-worthy condition and serviced regularly to avoid accidents because of mechanical faults of vehicles.	No creation of unnecessary tracks on site.			
Local services and infrastructure	Overuse and maintenance	-The heavy trucks transporting materials and services to the site should be scheduled to travel	-Visible efforts of maintaining access	Proponent Site Manager	Road clearing machinery (bulldozers)	Throughout the Mining phase,

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implementation Responsibility	Resources	Timeline
		minimally and at efficiently scheduled times to avoid daily traveling to the site, unless in cases of emergencies.	and community roads by the Proponent			when necessary
		The heavy trucks transporting materials and services to the site should be scheduled to travel at least twice or thrice a week to avoid daily traveling to the site				
		-The Proponent should consider frequent maintenance of local roads on the farms to ensure that the roads are in good condition for other road users.				
Occupational Health and safety	General health and safety associated	-As part of their induction, project workers should be provided with	A comprehensive health and safety plan for all mining activities	Proponent	Occupational Health and Safety Personnel	Throughout the Mining phase
Salety	with project activities in both phases	awareness training on the risks of mishandling equipment and materials on-site, as well as health and safety risks associated with	must be compiled.	Mining Manager	Health and Safety Training	training is offered as and when required
		their respective jobsWhen working on-site,		ECO	First aid kits	
		employees should be properly equipped with adequate personal protective equipment (PPE) such as coveralls, gloves, safety boots, earplugs, dust masks, safety glasses, etc.			Trained worker to administer first aid	
		-Heavy vehicles, equipment, and fuel storage sites should be				

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implementation Responsibility	Resources	Timeline
		properly secured, and appropriate warning signage placed where visible.				
		-Open pits no longer in use or to be used later after being excavated should be properly marked for visibility and capped/closed off.				
		-Ensure that after completion of excavating, the open pits cuttings are backfilled with soil, and the pits filled and leveled.				
		-An emergency preparedness plan should be compiled, and all personnel appropriately trained.				
		-Workers should not be allowed to consume intoxicants prior to and during working hours, or allowed on site when under the influence, as this may lead to mishandling of equipment, resulting in injuries and other health and safety risks.				
		-The site is to be equipped with cautionary signs at any potential danger or risk area identified on site.				
	Accidental fire outbreak	-Portable fire extinguishers should be provided on-site.	No wildfires must be recorded (due to the presence of workers)	Proponent	Fire extinguishers (1 per vehicle) and 1 per working site	Throughout the Mining phase

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implementation Responsibility	Resources	Timeline
		-No open fires to be created by project personnel on sitePotential flammable areas and structures such as fuel storage tanks should be marked with clearly visible signage.		ECO		
Archaeology and heritage	Accidental disturbance and destruction of archaeological or heritage objects and sites	-A "No-Go-Area" should be put in place where there is evidence of archaeological sites, historical, rock paintings, cave/rock shelters, or past human dwellings. It can be a demarcation by fencing off or avoiding the site completely by not working closely or near the known site. -On-site personnel and contractor crews must be sensitized to exercise and recognize "chance finds heritage" in the course of their work.	-Preservation of all artifacts and objects that are discovered on and around the project site -No-Go Areas avoided	Proponent	Salvage equipment Archaeologist	As and when required, i.e., prior to site set up, and during Mining.
		-During the mining works, it is important to take note and recognize any significant material being unearthed and making the correct judgment on which actions should be taken (refer to the CFP Appendix attached to the EMP).		ECO		
		-The footprint impact of the proposed mining activities should be kept to minimal to limit the		Operator		

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implementation Responsibility	Resources	Timeline
		possibility of encountering chance finds within the MCs boundaries. The Proponent should keep a buffer of 50 meters on all the archaeological/cultural sites observed within the project site and broader area throughout their stay (duration of their presence) in the area. -A landscape approach of the site management must consider		Foreman Superintended	Flag tapes GPS (site marking)	
		cultural and heritage features in the overall planning of mining infrastructures within and beyond the license boundaries.		Archaeologist		
		-The Proponent and Contractors should adhere to the provisions of Section 55 of the National Heritage Act in the event significant heritage and cultural features are discovered while conducting mining activities on the site.				
		-Subject to the recommendations herein made and the implementation of the mitigation measures and adoption of the project Archaeological Management Plan (AMP)/EMP should be complied with.				

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implementation Responsibility	Resources	Timeline
Aspect	Impact	-An archaeologist or Heritage specialist should be onsite to monitor all significant earthmoving activities that may be implemented as part of the proposed project activities. -During the removal of topsoil and subsoil at mining sites, the sites should be monitored for subsurface archaeological materials by a qualified Archaeologist. -Show overall commitment and compliance by adopting a "minimalistic or zero damage approach". -In addition to these recommendations above, there should be a controlled movement of the contractor, mining crews, equipment, setting up of camps and everyone else involved in the prospecting and mining activities to limit the proliferation of informal pathways, gully erosion and disturbance to surface and sub-	•	-	Resources	Timeline
		surface artifacts such as stone tools and other buried materials, etc.				

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implementation Responsibility	Resources	Timeline
Littering and waste management (general waste	waste Pollution management	-Workers should be sensitized to dispose of waste in a responsible manner and not litter.	No visible litter around the project area	ECO	Waste storage containers	Throughout the mining phase
and sanitation)		-After each daily work, the Proponent should ensure that there is no waste left on the site.	Provision of sufficient waste storage containers			
		-All domestic and general project waste produced daily should be contained until such that time it will be transported to designated waste sites in nearby towns.	Waste management awareness		Waste disposal permits from municipalities	
		-No waste may be buried or burned on site or anywhere else. -The mining site should be equipped with separate waste bins for hazardous and			Environmental, Health, and Safety Statements and Policy	
		general/domestic waste. -Sewage waste should be stored as per the available sanitation system supplied on site and regularly disposed of at the nearest treatment facility				
		-Oil spills should be taken care of by removing and treating soils affected by the spill.				
		-A penalty system for irresponsible disposal of waste on site and anywhere in the area should be implemented.				

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implementation Responsibility	Resources	Timeline
		-Careful storage and handling of hydrocarbons on site is essential and, therefore should be enforced. -Potential contaminants such as hydrocarbons and wastewater should be contained on site and disposed of in accordance with municipal wastewater discharge standards so that they do not contaminate surrounding soils and eventually groundwater. -An emergency plan should be available for major/minor spills at the site during mining (with consideration of air, groundwater, soil, and surface water) and during				
		the transportation of the product(s) to the sites.				
	Wastewater generated by mining workers living on-site.	-Provision of toilet facilities for workers (mobile/portable chemical toilet if possible)Emptying of chemical toilets according to the manufacturer's	Adequate toilet and basic ablution facilities on site.	Proponent ECO	Chemical toilets Sewage removal	Throughout the mining phase
		specifications.			operator waste treatment agents/chemicals	

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implementation Responsibility	Resources	Timeline
Air Quality	Dust generation	-Mining vehicles should not drive at a speed of more than 30 km/h, to avoid dust generation around the area.	No complaints from the public about vehicle emissions and dust generation.	ECO	Complaint's logbook Dust suppressant	Throughout the Mining phase
		-Dust control measures may be considered to suppress dust, in the event that there are local complaints of high levels of dust generation.	Visible efforts to curb dust		(Water)	
		-Dust masks, eye protective glasses, and other respiratory personal protective equipment (PPE) such as face masks should be provided to the workers on site drilling areas, where they are exposed to dust.				
		-Excavating equipment should be regularly maintained to ensure drilling and excavation efficiency and so to reduce dust generation and harmful gaseous emissions.				
Noise	Nuisance	-Noise from project vehicles and equipment on the working sites of the MCs should be at acceptable	Complaints from farm owners and neighbouring land	ECO	Complaint's logbook	Throughout the mining phase
		levels. -Mining hours should be restricted to the times agreed upon in writing between the Proponent and land owners, in order to avoid noise pollution and vibrations generated	users about excessive noise.		Noise protective equipment for workers	

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implementation Responsibility	Resources	Timeline
		by mining equipment before or after hours, as agreed upon. -When operating the Ecavator machinery onsite, workers should be equipped with personal protective equipment (PPE) such				
		as earplugs to reduce exposure to noise. -All drilling/excavation activity and noise-producing activity on site must be scheduled and conducted with consideration for the				
Social nuisance	Local properties	tranquility of any nearby residents. -The Proponent should inform	No complaints from	ECO	Grievance logbook	Throughout the
	disturbance and values	their workers of the importance of respecting the farmers' properties by not trespassing or vandalizing houses and fences, or snaring and killing livestock and wildlife.	farmers about property theft, disturbance, or intrusion		Land access agreement conditions	mining phase
		-Any workers or site employees found guilty of intruding on 'private property should face disciplinary or be dealt with as per their employer' (Proponent)'s code of employment conduct				
		-The project workers should be advised to respect the community and local private property, values, and norms.				

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implementation Responsibility	Resources	Timeline
		-No worker should be allowed to wander in private yards or fences without permission. -Workers are not allowed to kill or in any way disturb local livestock and wildlife on farms. -No worker should, without permission, cut down or damage trees belonging to landowners				
		PROGRESSIVE REHABILIT	TATION AND DECOMMIS	SSIONING PHASE		
Rehabilitation	Disturbance and damage to land	-All drilled boreholes and excavated pits related to the project activities should be capped and backfilled, respectively. -All waste generated and stored on-site during mining activities should be disposed of at the respective nearest solid waste management sites. -The stockpiled topsoil should be leveled soon after the completion of works at the sites. -Any temporary setup on site should be dismantled, and the area rehabilitated as far as practicable, to its original state.	Capped boreholes and backfilled pits No sign of waste or littering must be seen on site and around site areas. Carrying away waste, and removal of vehicles and equipment from the site No stockpiled topsoil (topsoil is leveled after	Proponent	Excavators and other backfilling/demolishing machinery Record of pits excavated, and boreholes drilled (if any) Waste containers on sites Photo records of backfilled sites Records of finances set aside for	Progressive rehabilitation is done throughout the mining phase and complete decommission and rehabilitation is done after completion of mining works.

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implementation Responsibility	Resources	Timeline
		-Mined areas on worksites should be progressively rehabilitated by d backfillingProvision of both financial and technical resources for progressive rehabilitation.	completion of each work) The campsite was dismantled and materials were taken away from the site. Visible signs of		decommissioning activities	
			stockpiled topsoil			

4.4 Monitoring Action Plans (Monitoring Plan)

To support and ensure that the proposed mitigation measures are achieving the desired results, a monitoring plan must be implemented. The monitoring action plan recommended for proposed mining activities is presented in

Table 4 below.

Table 4: Monitoring Action Plan

Environmental Feature	Impact	Monitoring Actions	Implementation responsibility	Frequent	Threshold	Action if the threshold is exceeded
Archaeology	Presence or	-To prevent the destruction of artifacts	ECO	Daily	Unearthing	Cease all activities on
and Heritage	unearthing of	and sites, the preservation of all	Archaeologist		archaeological or	site and wait for NHC
	archaeological	artifacts and sites that are discovered	7 ti oriacologist		cultural heritage	to inspect the site and
	or cultural	within the site boundary or around the			resources	give further
	heritage	project site area should be effectively				instructions/actions
	resources	done.				

Environmental Feature	Impact	Monitoring Actions	Implementation responsibility	Frequent	Threshold	Action if the threshold is exceeded
		-Inspect records of findings.				
Soils	Loss of topsoil	-All measures should be considered to present the loss of topsoil	ECO and Site Manager	weekly	Proliferation of new vehicle tracks	Rehabilitation of affected areas
Monitoring	EMP non-compliance	-The ECO or the Proponent/Contractor should monitor the implementation of this EMP to ensure compliance. The ECO(s) should inspect the site throughout the small-scale period and after completion.	ECO	Daily	Increase in health, safety, and environmental damage incidence	Daily safety talks, Remedy the consequences
Biodiversity	Loss of biodiversity	-Comply with any marked no-go areas and avoid areas sensitive to any type of disturbance. Clear only footprint areas to maintain as much of the remaining natural vegetation on site and to prevent loss of habitat (if so, advised by MEFT).	ECO Workers involved in this phase	Weekly	Vegetation clearance outside of marked areas.	Rehabilitation of affected areas to the satisfaction of the ECO
Health and Safety	Health and safety of the workers	-Workers should be trained on how to handle materials and equipment on site (if they do not already know how to) to avoid injuries. -Mining equipment and materials transported to the site should be securely fastened to the vehicles	ECO Workers involved in this phase	Daily/Weekly	Health and safety incident	Remedy the consequences

Environmental Feature	Impact	Monitoring Actions	Implementation responsibility	Frequent	Threshold	Action if the threshold is exceeded
		(trucks and cars). This is to ensure that				
		the materials and equipment do not fall				
		off the vehicles and cause injuries to				
		anyone while transporting them.				
		- All personnel are to be provided with				
		appropriate personal protective				
		equipment (PPE), always during				
		operational hours on site to prevent				
		serious injuries or loss of life.				
		-Workers should not be allowed to				
		consume intoxicants prior to and during				
		working hours, as this may lead to				
		mishandling of equipment, which may				
		result in injuries and other health and				
		safety risks.				
Neighbouring	Disturbance	The mining works schedule should be	ECO	Weekly	A logged	Revision of site
land users at		limited to normal working hours,			complaint about	activities
the site		between 08h00 and 17h00, or to the	0		excessive noise	
		times agreed upon between the	Site Manager			
		proponent and the land owner. This is				
		to ensure that generated noise does not				
		become nuisance to the neighbors.				
Waste	Environmental	-The site should be always kept tidy.	ECO	Daily	Visible litter	Clean up the affected
	Pollution	All domestic and general construction			around the project	areas and ensure
		waste produced daily should be			site	mining workers utilize

Environmental Feature	Impact	Monitoring Actions	Implementation responsibility	Frequent	Threshold	Action if the threshold is exceeded
		cleaned and contained daily to prevent environmental pollution. -Separate waste containers (bins) for hazardous and domestic/general waste must be provided on-site to avoid mixing of waste.	All workers are involved in this		A logged complaint	the waste containers provided.
Transport	Transportation	-Project workers must be transported in	phase.	Daily	A logged	
Transport	of workers to	suitable passenger vehicles to and from	ECO	Daily	complaint about	
	and from the site	the site to ensure workers' safety. -No off-road driving			the bad form of transport affecting occupational safety and health of workers	
Vehicular traffic safety	Increase in local traffic flow.	-All drivers of the project vehicles should be in possession of valid and appropriate driving licenses to operate such vehiclesProject vehicles must be in a roadworthy condition and serviced regularly to avoid accidents because of mechanical faults of vehicles.	ECO	Weekly	A logged complaint about traffic increase or damage to roads	Find alternative access roads for the team. Rehabilitation of affected roads

Environmental Feature	Impact	Monitoring Actions	Implementation responsibility	Frequent	Threshold	Action if the threshold is exceeded
		-Vehicle drivers should not be allowed				
		to operate vehicles while under the				
		influence of alcohol.				
		-No heavy trucks or project-related				
		vehicles should be parked in				
		biologically sensitive areas.				

5. Decommissioning and Rehabilitation

Successful rehabilitation requires careful consideration of the local ecological context, in combination with the rehabilitation goals. The most important steps in undertaking a successful rehabilitation are planning and environmental awareness (environmental education) on the importance of progressive rehabilitation (or post-activity rehabilitation,) and its importance to the environment. Furthermore, successful implementation of the planned rehabilitation will depend on a few factors - the rehabilitation program, characteristics of the site, nature of the disturbance, rehabilitation methods, as well as resource availability.

Site-Specific Rehabilitation Plan

To ensure that they do their best to rehabilitate the disturbed areas, the Proponent needs to:

- Utilize stockpiled subsoil and topsoil to backfill the excavated pits/trenches.
- Make financial provisions that will be used for the post-mining rehabilitation program.
- Backfill all pits and trenches.
- Level topsoil that was stockpiled for mining purposes.
- Remove project vehicles and equipment from the site and take them to the designated parking facility off-site.
- All project support structures such as ablution facilities (toilet and washroom system), and storage containers/tanks shall be demolished, and the waste taken to designated waste sites. The site areas on which these structures were set up will be rehabilitated to a premining state.
- All accumulated waste (hazardous, solid, and general) up until the cessation of mining activities must be removed site and transported to designated off-site waste management facilities.
- Re-vegetation of areas with species consistent with surrounding vegetation

APPENDIX 1: CHANCE FINDS PROCEDURE (AFTER KINAHAN, 2020)

Areas of proposed development activity are subject to heritage survey and assessment at the

planning stage. These surveys are based on surface indications alone, and it is therefore possible

that sites or items of heritage significance will be found during development work. The procedure

set out here covers the reporting and management of such finds.

Scope: The "chance finds" procedure covers the actions to be taken from the discovery of a

heritage site or item to its investigation and assessment by a trained archaeologist or other

appropriately qualified person.

Compliance: The "chance finds" procedure is intended to ensure compliance with relevant

provisions of the National Heritage Act (27 of 2004), especially Section 55 (4): "a person who

discovers any archaeological Objectmust as soon as practicable report the discovery to

the Council". The procedure of reporting set out below must be observed so that heritage remains

reported to the NHC are correctly identified in the field.

Manager/Supervisor must report the finding to the following competent authorities:

• National Heritage Council of Namibia (061 244 375 / Technical Office +264 61 301 903)

National Museum (061 276800),

National Forensic Laboratory (061 240461).

Archaeological material must NOT be touched. Tempering with the materials is an offence under

the heritage act and punishable upon conviction by the law.

Responsibility:

Operator: To exercise due caution if archaeological remains are found

Foreman: To secure site and advise management timeously

Superintendent: To determine safe working boundary and request inspection

Archaeologist: To inspect, identify, advice management, and recover remains

Procedure:

Action by person identifying archaeological or heritage material:

42

- a) If operating machinery or equipment stop work
- b) Identify the site with flag tape
- c) Determine GPS position if possible
- d) Report findings to foreman

Action by foreman

- a) Report findings, site location and actions taken to superintendent
- b) Cease any works in immediate vicinity

Action by superintendent

- a) Visit site and determine whether work can proceed without damage to findings
- b) Determine and mark exclusion boundary
- c) Site location and details to be added to project GIS for field confirmation by archaeologist

Action by Archaeologist

- a) Inspect site and confirm addition to project GIS
- b) Advise NHC and request written permission to remove findings from work area
- c) Recovery, packaging and labelling of findings for transfer to National Museum

In the event of discovering human remains

- a) Actions as above
- b) Field inspection by archaeologist to confirm that remains are human
- c) Advise and liaise with NHC and Police
- d) Recovery of remains and removal to National Museum or National Forensic Laboratory, as directed.